



CLASS 1

Building Product Information Sheet

Product name:

Victor Utility plaster, Victor Casting plaster, Victor Fastset Plaster and Victor Cornice Bond

Product line (the product line from which the product is customised):

Victor plasters

Product description and its intended use (measurements, materials, usage):

Victor® Casting Plaster is a general purpose plaster for manufacturing fibre reinforced cornices, cast panels, niches, ceiling tiles, roses, ornamental statues, models and other objects. Victor Fastset Plaster can be used for similar applications but differs in its shorter working time. Victor Utility plaster has uses in moulding and jointing of fibrous plaster sheets. Victor Cornice Bond is specifically formulated for adhering plaster cornices to fibrous plaster sheets and GIB-Cove® to GIB® Plasterboard. For full product details refer to www.gib.co.nz

Victor Utility plaster, Victor® Casting Plaster and Victor Fastset Plaster are available in 20kg and 1T bags.
Victor Cornice Bond is available in 20kg bags.

Product identifier (if applicable):

Victor plasters

Place of manufacture: Aotearoa New Zealand Overseas

Legal and trading name of the manufacturer(s):

Winstone Wallboards Limited

Legal and trading name of the importer (if applicable):

N/A

Address for service:

STREET NAME	Felix Street	SUBURB	Penrose
CITY, COUNTRY	Auckland	POSTCODE	1642

Website:	http://www.gib.co.nz
Email address:	info@gib.co.nz
Phone No. (if applicable):	0800 100 442
NZBN (if applicable):	N/A

Relevant Building Code clauses:

Victor plasters have limited contribution to satisfying NZBC performance requirements as they are more considered as raw materials to produce other products. Victor plasters used as for jointing are intended for decorative purposes.

F2 Hazardous Building Materials: Performance clause F2.3.1.

Statement on how the building product is expected to contribute to compliance:

F2 Hazardous Building Materials: Performance clause F2.3.1. There are no specific requirements in order to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017. Hazard statements in the relevant Safety data sheet (SDS) includes, H350 May cause cancer (inhalation) and H373 May cause damage. Refer to the SDS on www.gib.co.nz for full safety measures.

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

Limitations on the use of the building product:

Refer to the relevant technical literature listed below for full conditions of use. Also refer to the statement above in the Relevant Building Code clauses section.

Design requirements that would support the use of the building product:

Specific applications, design and installation instructions, are outlined in the following technical literature.

GIB Site Guide, 2018

GIB Product and Systems Warranty

Victor Utility Plaster: Install Instructions

Victor Cornice Bond: Installation Instructions

Installation requirements:

Installation details are contained in the technical literature as listed under the design requirements above.

Maintenance requirements:

There are no specific requirements for maintenance when used and installed in accordance to the relevant GIB technical literature.

Is the building product/building product line subject to warning or ban under section 26?:

Yes No

If yes, description of the warning or ban under section 26:

N/A

Date:

D | D | M | M | Y | Y