

# GIB® Plasterboard range – GIB® Standard, GIB Wideline®, GIB Ultraline®, GIB Braceline®, GIB Noiseline®, GIB Aqualine®, GIB Fyreline®

### Revised 14 April 2025

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

**Product name:** GIB® Plasterboard range – including GIB® Standard, GIB Wideline®, GIB Curveline®,

GIB Ultraline<sup>®</sup>, GIB Braceline<sup>®</sup>, GIB Noiseline<sup>®</sup>, GIB Aqualine<sup>®</sup>, GIB Fyreline<sup>®</sup>.

Recommended use: Interior wall and ceiling lining

Company Winstone Wallboards Ltd

Address: 105 Leonard Road, Mt Wellington, 1060 Website: www.gib.co.nz

P.O. Box 12 256, Penrose 1642, **Email**: info@gib.co.nz Auckland, NEW ZEALAND Ph: 09 633 0100

Emergency Contact: In NZ 0800 POISON (0800 764 766) In Australia 13 11 26 (for Poisons)

or for Emergency Services dial 111 or for Emergency Services dial 000

**Date of preparation**: 14 April 2025

SECTION 2: HAZARDS IDENTIFICATION

Hazard Classification: Non hazardous

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredients composition:

CHEMICAL NAME:	SYNONYMS:	PROPORTION:	CAS NUMBER:
Gypsum		>70	13397-24-5
Paper (Cellulose Fibre)		<15	9004-34-6
Starch		<3	9005-25-8
May Contain The Following:			
Vermiculite		>4	1318-00-9
Paraffin Wax		>2	8002-74-2
Siloxane		<2	63148-57-2
Glass Fibre		<1	65977-17-3
Respirable Crystalline Silica		<0.1	14808-60-7



# GIB® Plasterboard range – GIB® Standard, GIB Wideline®, GIB Ultraline®, GIB Braceline®, GIB Noiseline®, GIB Aqualine®, GIB Fyreline®

#### Revised 14 April 2025

## **SECTION 4: FIRST AID MEASURES**

**Ingestion:** Due to product form and application, ingestion is considered unlikely.

Eyes contact: Product dust immediately flush thoroughly with water for 15 minutes to remove particles. If irritation

persists, seek medical advice.

**Skin contact:** Product in current form **s**kin irritation is not anticipated.

Inhalation: If inhalation of product dust occurs remove exposed individual to fresh air immediately. If breathing

difficulty persists, seek medical advice.

Advice to doctor: Treat symptomatically

## **SECTION 5: FIRE FIGHTING MEASURES**

Flammability: These products are nominally fire resistant and when tested to ISO 5660 Reaction to

Fire Tests - Heat release, smoke production and mass loss rate Parts 1 and 2 and

achieve a Group 1-S Classification.

Suitable extinguishing media: Use extinguishing media appropriate for surrounding fire.

Hazards from combustion: Not readily combustible

Protective precautions and equipment for fire fighters:

Normal precautions and protection apply

HAZCHEM Code: Not applicable

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Emergency Procedures: No special precautions

# **SECTION 7: HANDLING AND STORAGE**

**Handling:** Follow normal good manual handling techniques when handling GIB® plasterboard,

including evaluating the lift, your ability and capacity to lift, and any obstructions or

hazardous conditions present in the area.

Storage: Must be stacked FLAT to avoid serious injury.

Store in a dry place. Store all GIB® plasterboard flat. Panels are heavy and can fall

over, causing serious injury or death.

**Incompatibilities:** Loses strength if put into a wet state.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

Workplace Exposure Standards: N/A



# GIB® Plasterboard range – GIB® Standard, GIB Wideline®, GIB Ultraline®, GIB Braceline®, GIB Noiseline®, GIB Aqualine®, GIB Fyreline®

#### Revised 14 April 2025

**Engineering Controls:** Where operations generate airborne dust, use ventilation to keep dust concentrations

below permissible exposure limits.

Biological limits: No biological limit allocated.

PERSONAL PROTECTION

**Hand Protection:** Use of protective gloves suitable for the risk associated with the task being

performed. Refer Australian/New Zealand Standard AS/NZS 2161 for more

information.

Skin Protection: Occupational protective clothing adequate to risks associated with workplace Refer

Australian/New Zealand Standard AS/NZS 4501 for more information.

**Respiratory Protection:** Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust

levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Eye & Face protection Eye and face protectors for protection against dust. Refer Australian/New Zealand

Standard AS/NZS 1337 for more information

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Paper covered board with white core

Odour:

pH, at stated concentration:

Vapour Pressure:

Vapour Density:

Boiling Point/Range (°C):

Freezing/Melting Point (°C):

Low order

neutral

NA

NA

NA

NA

NA

NA

NA

NA

Solubility in water: Looses strength when wet

Specific Gravity (H₂O = 1): N/A FLAMMABILITY: NA

**ADDITIONAL PROPERTIES** 

Evaporation Rate: NA % Volatiles: NA Volatile Organic Compounds Content: NA

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Stable
Hazardous Decomposition: NA
Conditions to avoid: NA
Hazardous polymerization: NA

## **SECTION 11: TOXICOLOGICAL INFORMATION**

**Health Effects: Acute** 

(short term)

No harmful effects expected if swallowed. No specific recommendation.

If gastric disturbance occurs, call doctor.



# GIB® Plasterboard range – GIB® Standard, GIB Wideline®, GIB Ultraline®, GIB Braceline®, GIB Noiseline®, GIB Aqualine®, GIB Fyreline®

### Revised 14 April 2025

Skin: Rinse with water, then wash with mild soap and water. A commercially available

hand lotion may be used to treat dry skin areas. If skin has become cracked, take appropriate action to prevent infection and promote healing. If irritation persists,

contact doctor.

The following could occur only if dust is generated:

**Health Effects: Chronic** 

(long term)

The following medical conditions maybe aggravated: Pre-existing upper respiratory and lung diseases such as, but not limited to, bronchitis, emphysema and asthma.

# **SECTION 12: ECOLOGICAL & INFORMATION**

**Eco-toxicity:** Zero

Mobility: NA

Persistence and Degradability: Paper Biodegradable Gypsum core itself is stable except with water and organic

material if in anaerobic conditions and if anaerobic bacteria are present

## SECTION 13: DISPOSAL CONSIDERATIONS

**Disposal Information:** Preferable as compost additive or fertiliser, otherwise to landfill

## **SECTION 14: TRANSPORT INFORMATION**

DG Class: N/A
Subsidiary Risk 1: N/A
Packaging Group: N/A
HAZCHEM code: N/A
Marine Pollutant: N/A

Special Precautions for User: Following good safety practise. Ensure loads are tied down securely and keep dry.

When carrying sheets follow good practise and use the appropriate safety

equipment.

#### **SECTION 15: REGULATORY INFORMATION**

N/A

# **SECTION 16: OTHER INFORMATION**

- END OF SDS -